

# Relative Atomicity

Yasutada Sudo  
UCL  
y.sudo@ucl.ac.uk

16–17 April 2025, MIT

## 1 Absolute Atomicity and Relative Atomicity

---

### 1.1 Absolute Atomicity

Standard view (Link 1983, Schwarzschild 1996, Chierchia 1998a,b, Landman 1989a,b, 2000, Winter 2001, Chierchia 2010, among many others).

- A semantic model defines atomic entities (**absolute atoms**) and complex entities.
- The domain  $D$  of entities is partially ordered by a part-whole relation  $\leq_i$ .
- The minimal elements of  $(D, \leq_i)$  are the atomic entities. Everything else is a complex entity.

$$(1) \quad A := \min_{\leq_i} D = \{x \in D \mid \neg \exists y[y \leq_i x \wedge y \neq x]\}$$

- (2)    a.  $x \in D$  is atomic iff  $x \in A$ .  
      b.  $x \in D$  is complex iff  $x$  is not atomic.

$$(3) \quad \llbracket \text{cat} \rrbracket = \{x \in A \mid x \text{ is a cat}\}$$

### 1.2 Relative Atomicity

Alternative approach (Rothstein 2010, Landman 2011, 2016, Sutton & Filip 2016, Rothstein 2017, Sutton & Filip 2017)

- Nouns (and other grammatical devices) define what counts as an atom.
- I will advocate an extreme version of this view where all atoms are **relative atoms**.

## 1.3 Roadmap

### **Day 1**

- Absolute Atomicity
- Sub-atomic quantification
  - DP-internal quantifiers
  - DP-external quantifiers

### **Day 2**

- Relative Atomicity
- Number-marking and mass/count
- DP-external quantifiers

## 2 Absolute Atomicity

---

### 2.1 Atomic entities vs. complex entities

- Each model has a non-null domain  $D$  of entities.
- $D$  is ordered by a part-whole relation  $\leq_i$ .
- $\leq_i$  induces the join operation  $\sqcup_i$  via the absorption law:  $x \leq_i y$  iff  $x \sqcup_i y = y$ .
- $(D, \leq_i)$  is a join semilattice = for each  $x, y \in D$ , the least upper bound of  $x$  and  $y$  with respect to  $\leq_i$ , namely  $x \sqcup_i y$ , is a member of  $D$  (or equivalently,  $\sqcup_i$  is associative, commutative, and idempotent).
- The minimal elements of  $(D, \leq_i)$  are said to be atomic.

$$(4) \quad A := \min_{\leq_i} D = \{x \in D \mid \neg \exists y [y \leq_i x \wedge y \neq_i x]\}$$

- (5)    a.  $x \in D$  is atomic iff  $x \in A$ .  
      b.  $x \in D$  is complex iff  $x$  is not atomic.

I will call the members of  $A$  ‘**absolute atoms**’.

- Based on these assumptions, analyses have been developed for phenomena like:
  - Number marking and mass/count (§2.2)
  - Counting modifiers and quantifiers (§2.3)
  - Distributivity (§2.4)

Giving up on **Absolute Atomicity** will force us to reanalyze these phenomena.

### 2.2 Number marking and mass/count

- By assumption, the extension of a singular count noun is a set of **absolute atoms**.

$$(6) \quad \llbracket \text{cat} \rrbracket = \{x \in A \mid x \text{ is a cat}\}$$

- The extension of a plural count noun is the closure of the singular counterpart under  $\sqcup_i$  (= the \*-operator of Link 1983).<sup>1</sup>

$$(7) \quad \llbracket \text{cats} \rrbracket = \{\sqcup_i S \mid S \subseteq \llbracket \text{cat} \rrbracket \wedge S \neq \emptyset\}$$

- For mass nouns, there are many different views (Chierchia 1998a,b, 2010, Landman 2011, 2016, Link 1983, Rothstein 2010, 2017, Sutton & Filip 2016, 2017, among many, many others).

---

<sup>1</sup>(7) includes atomic entities, as well as non-atomic entities, i.e., morphosyntactically plural nouns are not semantically plural, but number-neutral. See Sauerland 2003, Sauerland, Anderssen & Yatsushiro 2005, Spector 2007, Zweig 2009, Sudo 2023 for arguments.

- Canonical mass nouns like *mud* and *space* intuitively describe things that do not have atoms.
  - But Chierchia 1998a,b, 2010 assumes that even such mass nouns denote sets of model-theoretic entities that are made up of atoms.
  - Others postulate entities that are not made of atoms (which requires a non-standard theory of sets). We'll come back to this point.
- Many (though not all) existing accounts of number marking and mass/count are entirely extensional, crucially referring to **absolute atoms**, e.g., count nouns denote sets of entities that are made up of **absolute atoms** (while mass nouns may refer to entities without atoms).

### 2.3 Counting modifiers and quantifiers

- Counting modifiers like numerals count the number of **absolute atoms**.

(8) I saw **three** cats.



- (8) is *not* true when I saw two atomic entities  $c_1$  and  $c_2$  and one complex entity  $c_1 \sqcup_i c_2$ .
- (8) entails there are three **absolute atoms**, each of which is a cat I saw.

- Similarly, some quantifiers quantify over **absolute atoms**.

(9) **Each** essay was given written feedback.

(10) Most of the flags are red.

- $\approx \#(\text{atomic red flags}) \gg \#(\text{atomic non-red flags})$
- $\approx \text{AREA}(\text{the flags' red parts}) \gg \text{AREA}(\text{the flags' non-red parts})$



- NB: Careful with context-sensitivity:

- What colors count as 'red'
- Non-maximality (Paillé 2022, Erbach et al. 2024)



## 2.4 Distributivity

- Distributive vs. collective ambiguity

- (12) The children made a snowman.
- Distributive reading: Each child made a snowman.
  - Collective reading: The children collaborated and made a snowman together.

This ambiguity is standardly analysed with an implicit distributivity operator  $\Delta$ .

- $\Delta$  universally quantifies over **absolute atoms** (ignoring homogeneity):

- (13)  $\llbracket \text{The children } \Delta \text{ made a snowman} \rrbracket = 1$  iff  
for each  $x \in A$  such that  $x \leq_i \llbracket \text{the children} \rrbracket$ ,  $\llbracket \text{made a snowman} \rrbracket(x) = 1$ .

- More complex cases

- (14) The three professors hate one another.  
For every  $x \in A$  such that  $x \leq_i \llbracket \text{the three professors} \rrbracket$ ,  
for every  $y \in A$  such that  $y \leq_i \llbracket \text{the three professors} \rrbracket$  and  $y \neq x$   
then  $x$  hates  $y$ .

- (15) The five dogs chased the three cats.  
For every  $x \in A$  such that  $x \leq_i \llbracket \text{the five dogs} \rrbracket$ ,  
there is  $y \in A$  such that  $y \leq_i \llbracket \text{the three cats} \rrbracket$  and  
 $x$  chased  $y$ ; and  
For every  $y \in A$  such that  $y \leq_i \llbracket \text{the three cats} \rrbracket$ ,  
there is  $x \in A$  such that  $x \leq_i \llbracket \text{the five dogs} \rrbracket$  and  
 $x$  chased  $y$ .

## 2.5 Some complications

- *Most* sometimes quantifies over atoms.

- (16) Most of the flags are red.  
 $\approx \#(\text{atomic red flags}) \gg \#(\text{atomic non-red flags})$

But sometimes over other things.

(17) Most of the flag is red.  
≈ **AREA**(the flag's red parts) » **AREA**(the flag's non-red parts)

(18) Most of the water has evaporated.  
≈ **VOLUME**(evaporated) » **VOLUME**(not evaporated)

- Variation among quantifiers

- Always atomic quantification: *every, each, both, one, two, several, many, a few*, etc.

- Always non-atomic: *much, part, a bit*, etc.

- Ambiguous: *most, more, a lot, some*, etc.

- The interpretations of the ambiguous quantifiers seem to be sensitive to mass-count along the lines of (19).

(19) 'Q of the NP'

a. Atomic quantification, if **NP** is PLURAL COUNT.

b. Underspecified, otherwise.

NB: If **NP** is MASS, atomic quantification is not impossible.

(20) Most of the furniture in this room is wooden.

a. There are more **atomic** pieces of wooden furniture in this room than **atomic** pieces of non-wooden furniture.

b. The combined **surface area** of the wooden parts of the furniture in this room is larger than the combined **surface area** of its non-wooden parts.

Compare:

(21) Most of the desks and chairs in this room are wooden.

- But (19b) is not quite right.

- There might be preferences between the two readings.

(22) a. Most of the luggage on the conveyor belt is blue.  
(cf. Most of the suitcases on the conveyor belt are blue)

b. Most of the kitchenware is porcelain.

c. I ate most of the spaghetti.

(23) a. Most of the walls of the bedroom are gray.

b. Most of the wall of the bedroom is gray.

- Some plural count nouns seem to allow for non-atomic quantification.

(24) a. Most of the mashed potatoes are on your plate.

b. Most of the french fries are burned.


c. Most of the clouds are below 10,000 feet.

d. I ate most of the noodles.

Which readings are possible seems to be determined by the head noun.

- Theoretical and empirical puzzles

1. If the structure is as in (25), how does *most* know what to quantify over?



Some analytical possibilities:

- **[[the desks and chairs]]** ≠ **[[the furniture]]** in all models
- Hidden nouns: *most* NP of the NP

We will encounter a similar problem for DP-external quantifiers.

2. What happens with conjunction??

- (26) a. Most of the furniture and appliances in the kitchen are white.  
 b. I ate most of the steak and chicken nuggets.  
 c. Most of the luggage and backpacks are black.

### 3 Sub-atomic quantification

---

Certain expressions and constructions access sub-atomic parts of absolute atoms ([Link 1983](#), [Krifka 1990](#), [Wągiel 2018, 2019](#)).

★ **Sub-atomic quantifiers** quantify over parts of their associate.

- (27) DP-internal
- Part of** the flag is red.
  - Half** the door is transparent.
  - Most of** the book is in French.

- (28) DP-external
- The table is **entirely** wooden.
  - The building is **partly** visible.
  - The flag is **half** red.
  - The door is **mostly** white.

- Cumulativity/co-distributivity

- (29) a. The flag is red and white.

b. The kids ate my hamburger.

- (Pluralia tantum?)

### 3.1 Sub-atomic entities

$\leq_i$  is not meant to account for the intuitive part-whole relation.

- By assumption, *the dog* refers to an **absolute atom**, e.g., *d*.
- Similarly, *the dog's tail* refers to an **absolute atom**, say *t*.
- We cannot have  $t \leq_i d$ , because *d* is minimal with respect to  $\leq_i$ .

To account for the part-whole relation between the dog *d* and its tail *t*, we need a different partial order,  $\leq_p$ , so that  $t \leq_i d$ .

- The corresponding join operation is  $\sqcup_p$ .
  - $(D, \leq_p)$  is assumed to be a join semilattice, i.e., for any two entities,  $x, y$  in  $D$ , their least upper bound with respect to  $\leq_p$  ( $x \sqcup_p y$ ) is also a member of  $D$ .
  - Whenever  $x \leq_i y$ , we should have  $x \leq_p y$ .
  - But  $x \leq_p y$  doesn't imply  $x \leq_i y$ . E.g., a complex entity with respect to  $\leq_i$  may be sub-atomic part of an atomic entity.
    - Suppose  $\llbracket \text{my right hand} \rrbracket = r$ .
    - Suppose also  $\llbracket \text{the five fingers of my right hand} \rrbracket = f_1 \sqcup f_2 \sqcup f_3 \sqcup f_4 \sqcup f_5$ .
    - $f_1 \sqcup f_2 \sqcup f_3 \sqcup f_4 \sqcup f_5 \leq_p r$  but  $f_1 \sqcup f_2 \sqcup f_3 \sqcup f_4 \sqcup f_5 \not\leq_i r$
- (30) a. My right hand is **partly** frostbitten.  
b. The flag is **partly** red.

With  $\leq_p$  we can state our analysis of sub-atomic quantifiers. Roughly (ignoring presupposition and scalar implicature):

- (31) a. By assumption,  $\llbracket \text{the flag} \rrbracket \in A$ .  
b.  $\llbracket \text{The flag is partly red} \rrbracket = 1$  iff for some  $x \leq_p \llbracket \text{the flag} \rrbracket$ ,  $x$  is red.

### 3.2 Individuated domain?

Given sub-atomic phenomena, any theory of **Absolute Atomicity** needs two partial orders,  $\leq_i$  and  $\leq_p$ , on  $D$ .

- $\leq_i$ : number marking, atomic (counting) quantifiers, distributivity

- $\leq_p$ : sub-atomic quantifiers.

There's a technical point to be mentioned here.

- $\leq_p$  needs to be defined for things that might not be made up of minimal elements, e.g. *space, time, line segment, hole, reason, explanation, advice*, etc. They intuitively have parts, and natural language can quantify over them.

- (32) a. **Part of the reason** is financial.  
 b. **The remaining time** will **mostly** spent on philosophical matters.

Chierchia 1998a,b, 2010 nonetheless maintains that all such cases are also built on atomic entities, but if the purpose of formal semantics is to account for the way we reason and draw inferences in natural language, I doubt that we reason about atoms of time and reason.

- $(D, \leq_p)$  is a join semilattice, i.e., for each  $x, y \in D$ ,  $x \sqcup_p y \in D$ .
- We could define  $\leq_i$  in terms of  $\leq_p$  as the well-founded portion of  $\leq_p$ .
  - $A := \min_{\leq_p} D = \{x \in D \mid \neg \exists y \in D [y <_p x]\}$  (Absolute atoms)
  - $I := \{\sqcup_p S \mid S \subseteq A \wedge S \neq \emptyset\}$  (Individuals)
  - $\leq_i := \leq_p \upharpoonright I = \{\langle x, y \rangle \in \leq_p \mid x, y \in I\}$
- But we still cannot have  $\llbracket \text{the dog's tail} \rrbracket \leq_i \llbracket \text{the dog} \rrbracket$ :
  - Both are members of  $A$ .
  - Sub-atomic quantification is possible (e.g., 'The dog is partly black').
  - We need to postulate  $t' \in D$  that corresponds, e.g., to the dog's tail but  $t' \neq \llbracket \text{the dog's tail} \rrbracket$  and  $t' \notin I$ .
- Similarly,
  - $\llbracket \text{line segment} \rrbracket \subseteq A$
  - Sub-atomic quantification is possible


(33) This line segment is **partly** outside the circle.

  - For any proper sub-atomic part  $x <_p \llbracket \text{this line segment} \rrbracket$ ,  $x \notin \llbracket \text{line segment} \rrbracket$ , despite the fact that intuitively,  $x$  is a line segment!
  - When we describe  $x$  as a 'line segment', we must be referring to an **absolute atom**, a member of  $A$ , and so is distinct from  $x$ .
  - So we need to postulate line segments that are **absolute atoms** and line segments that are not (whenever there is a line segment in the model). The latter are not in the domain of  $\leq_i$ .
- Alternatively, we define  $\leq_i$  and  $\leq_p$  separately so that we can have all of the following:

$$\begin{aligned} \llbracket \text{the dog's tail} \rrbracket, \llbracket \text{the dog} \rrbracket &\in \min_{\leq_i} D \\ \llbracket \text{the dog's tail} \rrbracket &\not\leq_i \llbracket \text{the dog} \rrbracket \\ \llbracket \text{the dog's tail} \rrbracket &\leq_p \llbracket \text{the dog} \rrbracket \end{aligned}$$

Either way, we will have:

- The individuated domain  $I \subseteq D$  forms a join semilattice with respect to  $\leq_i$ .
- $A \subseteq I$  is the set of atomic entities with respect to  $\leq_i$ , which are members of the denotations of singular count nouns.
- The non-atomic part of  $I$  ( $I \setminus A$ ) is denoted by  $C$  (for ‘complex entities’).
- If you are Chierchia,  $D = I$ .
- $(I, \leq_i)$  and  $(D, \leq_p)$  are semilattices.  $(D, \leq_i)$  is not, unless you are Chierchia.



- $\llbracket \text{cat} \rrbracket \subseteq A$
- $\llbracket \text{the cat} \rrbracket \in A$  (if the model contains exactly one cat)
- $\llbracket \text{cats} \rrbracket \subseteq I$
- $\llbracket \text{the cats} \rrbracket \in C$  (if the model contains more than one cat)
- The extension of a mass noun might include things inside or outside  $I$  (depending on your theory).
- $\llbracket \text{the dog's tail} \rrbracket \leq_p \llbracket \text{the dog} \rrbracket$  but  $\llbracket \text{the dog's tail} \rrbracket \not\leq_i \llbracket \text{the dog} \rrbracket$
- $\llbracket \text{my hands} \rrbracket \leq_p \llbracket \text{my body} \rrbracket$  but  $\llbracket \text{my hands} \rrbracket \not\leq_i \llbracket \text{my body} \rrbracket$ .
- $\llbracket \text{my thumbs} \rrbracket \leq_p \llbracket \text{my hands} \rrbracket$  but  $\llbracket \text{my thumbs} \rrbracket \not\leq_i \llbracket \text{my hands} \rrbracket$
- Whenever  $x \leq_i y$ ,  $x \leq_p y$ .

### 3.3 A conceptual concern

Consider hybrid nouns:

- (34) a. There is reason to be skeptical.  
 b. There are reasons to be skeptical.

According to the above (non-Chierchian) version of **Absolute Atomicity**, *reason* and *reasons* must refer to different sets.

- By assumption,  $\llbracket \mathbf{reasons}_{\text{pl.count}} \rrbracket \subseteq I$ , since  $\llbracket \mathbf{reason}_{\text{sg.count}} \rrbracket \subseteq A$ .
- Intuitively,  $\llbracket \mathbf{reason}_{\text{mass}} \rrbracket \subseteq D \setminus I$ .
- So  $\llbracket \mathbf{reason}_{\text{mass}} \rrbracket \neq \llbracket \mathbf{reason}_{\text{sg.count}} \rrbracket$ .

But we want to capture the fact that the sentences in (34) are (near-)synonymous.

This is only a conceptual issue. One could maintain:

1. *Reason<sub>mass</sub>* is an ‘object mass noun’ and refers to a subset of  $I$ , the same set as *reason<sub>sg.count</sub>*;  
or
2. *Reasons* is a ‘fake plural noun’ and refers to a subset of  $D \setminus I$ , the same set as *reason<sub>mass</sub>*.<sup>2</sup>

Chierchia’s atomic theory is an extreme version of 1., where every noun denotes a subset of  $I$ .

## 4 DP-internal sub-atomic quantifiers

---

With  $\leq_p$ , we can analyse DP-internal sub-atomic quantifiers as follows.

$$(35) \quad \llbracket \mathbf{Part\ of\ the\ door\ is\ wooden} \rrbracket = 1 \text{ iff for some } x \leq_p \llbracket \mathbf{the\ door} \rrbracket, \llbracket \mathbf{wooden} \rrbracket(x) = 1$$

One might think that we could give the following denotation for  $\llbracket \mathbf{part} \rrbracket$ :

$$(36) \quad \llbracket \mathbf{part\ (of)} \rrbracket = \lambda x_e. \lambda P_{(e,t)}. \text{ for some } y \leq_p x, P(y) = 1$$

But this fails to account for the fact that *Part of the NP* is incompatible with plural count nouns.

- (37) a. Part of the door is wooden.
- b. Part of the water has evaporated.
- c. \*Part of the doors are wooden.

Relatedly, *some of the NP* is only compatible with mass nouns and plural count nouns.

- (38) a. \*Some of the door is wooden.
- b. Some of the water has evaporated.
- c. Some of the doors are wooden.

Neither of the following accounts for these restrictions.

- (39) a.  $\llbracket \mathbf{some\ (of)} \rrbracket = \lambda x_e. \lambda P_{(e,t)}. \text{ for some } y \leq_i x, P(y) = 1$
- b.  $\llbracket \mathbf{some\ (of)} \rrbracket = \lambda x_e. \lambda P_{(e,t)}. \text{ for some } y \leq_p x, P(y) = 1$

---

<sup>2</sup>In a recent talk with Kurt Erbach, we argued that *potatoes* is a fake plural noun, as it can refer to any forms of potatoes, included uncountable instances, unlike *apples*.

## 4.1 A semantic account

- (40) a.  $\llbracket \mathbf{part\ (of)} \rrbracket = \lambda x_e: x \notin C. \lambda f_{(e,t)}. \exists y \in D[y \leq_p x \wedge f(x)]$   
 b.  $\llbracket \mathbf{some\ (of)} \rrbracket = \lambda x_e: x \notin A. \lambda f_{(e,t)}. \exists y \in D[y \leq_p x \wedge f(x)]$

But (40b) derives the wrong truth-conditions for (38c). It should be false when small portions of some of the doors are wooden, and none are wholly wooden. It's only true if each of the doors is (almost wholly) wooden.

Let us postulate two versions of *some*:

- (41) a.  $\llbracket \mathbf{some}_{\text{mass}} \mathbf{(of)} \rrbracket = \lambda x_e: x \notin I. \lambda f_{(e,t)}. \exists y \in D[y \leq_p x \wedge f(x)]$   
 b.  $\llbracket \mathbf{some}_{\text{plural}} \mathbf{(of)} \rrbracket = \lambda x_e: x \in C. \lambda f_{(e,t)}. \exists y \in A[y \leq_i x \wedge f(x)]$

Crucially, (41b) quantifies over **absolute atoms**.

But this analysis has potential issues.

- If object mass nouns denote members of  $I$ , the mass version of *some* needs to be compatible with elements of  $I$ .

- (42) a. Some of my suitcases are missing.  
 b. Some of my luggage is missing.

(43)  $\llbracket \mathbf{some\ (of)} \rrbracket = \lambda x_e. \lambda f_{(e,t)}. \exists y \in D[y \leq_p x \wedge f(x)]$

With this version of *some*, we derive the wrong truth-conditions for (38c).

- If  $\llbracket \mathbf{my\ suitcases} \rrbracket = \llbracket \mathbf{my\ luggage} \rrbracket$ , how do we account for (44)?

- (44) a. {Part/\*Some} of my suitcase is yellow.  
 b. {\*Part/some} of my suitcases are yellow.  
 c. {Part/Some} of my luggage is yellow.

We would have to assume that object mass nouns and plural count nouns always have different extensions.

## 4.2 A syntactic account

Let us assume that the selectional restrictions of *part of* and *some of* are morphosyntactic in nature (similarly to *many* vs. *much*), and the denotations are as follows.

- (45) a.  $\llbracket \mathbf{part\ (of)} \rrbracket = \lambda x_e. \lambda f_{(e,t)}. \exists y \in D[y \leq_p x \wedge f(x)]$   
 b.  $\llbracket \mathbf{some}_{\text{mass}} \mathbf{(of)} \rrbracket = \lambda x_e. \lambda f_{(e,t)}. \exists y \in D[y \leq_p x \wedge f(x)]$   
 c.  $\llbracket \mathbf{some}_{\text{plural}} \mathbf{(of)} \rrbracket = \lambda x_e. \lambda f_{(e,t)}. \exists y \in A[y \leq_i x \wedge f(x)]$

In order to make the syntactic selection local, we can assume: 'some/part NP of the NP'.

Assuming:

- (46) a.  $\llbracket \text{my baggage} \rrbracket = \llbracket \text{my suitcases} \rrbracket \in C$   
 b.  $\llbracket \text{the homework} \rrbracket = \llbracket \text{the homework assignments} \rrbracket \in C$

we can account for the entailment from (a) to (b) in (47) and (48).

- (47) a. Some of my suitcases have gone missing.  
 b. Some of my luggage has gone missing.
- (48) a. You will need lambda calculus for some of the homework assignments for next week.  
 b. You will need lambda calculus for part of the homework for next week.

An analysis like this won't be available for DP-external quantifiers.

## 5 DP-external sub-atomic quantifiers

---

### 5.1 Denotations

Using  $\leq_p$ , we can analyse DP-external sub-atomic quantifiers as follows.

- (49)  $\llbracket \text{The flag is partly red} \rrbracket = 1$  iff for some  $x \leq_p \llbracket \text{the flag} \rrbracket$ ,  $\llbracket \text{red} \rrbracket(x) = 1$ .

- (50)  $\llbracket \text{partly} \rrbracket = \lambda P_{(e,t)}. \lambda x_e. \text{for some } y \leq_p x, P(y) = 1$

*Mostly* refers to some non-counting measurement  $\mu$  that maps an entity to its area, volume, etc.

- (51)  $\llbracket \text{The flag is mostly red} \rrbracket = 1$  iff  
 $\mu(\sup_{\leq_p} \{x \leq_p \llbracket \text{the flag} \rrbracket \mid \llbracket \text{red} \rrbracket(x) = 1\}) \gg \mu(\sup_{\leq_p} \{x \leq_p \llbracket \text{the flag} \rrbracket \mid \llbracket \text{red} \rrbracket(x) = 0\})$


These will work for mass associates:

- (52) a. The money will be partly spent on books.  
 b. The bread is mostly gone.

### 5.2 The puzzle of plural associates

The above analysis overgenerates for plural count associates.

- (53) These flags are partly red.



If the truth-conditions are as in (54), why is it true with respect to (53b) but not with respect to (53a)???

(54)  $\llbracket \text{The flags are partly red} \rrbracket = 1$  iff for some  $x \leq_p \llbracket \text{the flags} \rrbracket$ ,  $\llbracket \text{red} \rrbracket(x) = 1$ .

(Near-)minimal pairs:

- (55) a. The Google logo is partly red.  
b. These six letters are partly red.



- (56) a. This deck of playing cards is partly wet.  
b. These play cards are partly wet.

- (57) a. The furniture in this room is partly wooden.  
b. The table, chairs and shelve in this room are partly wooden.

*Partly* needs to know which noun is used to refer to its associate!

### 5.3 Homogeneity and $\Delta$

Predicates like *red* and *wooden* are so-called ‘summative predicates’, which are about properties of parts of entities.

- (58) a. The flag is (partly) red.  
b. The door is (partly) wooden.

Non-summative (‘integrative’) predicates.

- (59) a. The professor is (#partly) unhappy. (vs. The professors are unhappy)  
b. James is (#partly) taller than Katie.  
c. The soldiers surrounded the fortress.

Summative predicates without overt quantifiers give rise to **homogeneous readings**.

- Homogeneous readings give rise to truth-value gaps: they are like universal readings in the positive and like existential readings in the negative.

- (60) a. The flag is (not) red.  
 b. The table is (not) wooden.  
 c. The building is (not) visible.
- (61) a. The professors are (not) unhappy.  
 b. The applications were (not) successful.

- Homogeneous readings easily allow for exceptions (**non-maximality**).. Compare:

(62) The flag is completely/entirely red.

Following the literature on homogeneity, we postulate a phonologically null distributivity operator  $\Delta$ .

- If we adopt Križ's (2015) theory of homogeneity: (see [Bar-Lev 2021](#), [Križ & Spector 2021](#), [Paillé 2022](#) for other theories of homogeneity).

$$(63) \quad \llbracket \mathbf{Subj} \Delta \mathbf{Pred} \rrbracket = \begin{cases} 1 & \text{if for every 'part' } x \text{ of } \llbracket \mathbf{Subj} \rrbracket, \llbracket \mathbf{Pred} \rrbracket(x) = 1 \\ 0 & \text{if for every 'part' } x \text{ of } \llbracket \mathbf{Subj} \rrbracket, \llbracket \mathbf{Pred} \rrbracket(x) = 0 \\ \# & \text{otherwise} \end{cases}$$

Non-maximality arises because we sometimes treat some cases of  $\#$  as practically true or practically false.

- One might want to postulate different versions of  $\Delta$  for different notions of 'part' (atomic vs. sub-atomic/non-atomic). See below.
- $\Delta$  can be seen as another DP-external quantifier. The only difference from overt universal quantifiers is that it triggers homogeneity. In the Križ-style analysis:

$$(64) \quad \llbracket \mathbf{Subj} \mathbf{all} \mathbf{Pred} \rrbracket = \begin{cases} 1 & \text{if for every 'part' } x \text{ of } \llbracket \mathbf{Subj} \rrbracket, \llbracket \mathbf{Pred} \rrbracket(x) = 1 \\ 0 & \text{otherwise} \end{cases}$$

- In **Absolute Atomicity** plural morphology is often analyzed as having the same meaning as  $\Delta$ , but I'll propose that there's more than that.

## 5.4 The syntax of atomic and sub-atomic quantifiers

- We postulate  $\Delta$  for (65).

(65) The flags are  $\Delta$  partly red.  
 $\approx$  Each atomic part of  $\llbracket \mathbf{the\ flags} \rrbracket$  is partly red (modulo homogeneity/non-maximality).

This captures the intuitively available meaning of the sentence.

It also accounts for why its meaning is similar to (66) (modulo homogeneity/non-maximality).

(66) The flags are all partly red.

Importantly,  $\Delta$  and *all* in (65) and (66) are **atomic quantifiers** = they quantify over absolute atoms.

- We postulate  $\Delta$  for (67), as well.

(67) The flag is  $\Delta$  red.

Compare this to:

(68) The flag is entirely red.

$\Delta$  and *entirely* in (67) and (68) are **sub-atomic quantifiers**, i.e., they quantify over parts of absolute atoms.

- In the following case, we need an atomic  $\Delta$  and a sub-atomic  $\Delta$ .

(69) The flags are  $\Delta$   $\Delta$  red.


Compare:

(70) The flags are all entirely red.

- With a plural associate, there are two positions for DP-external quantifiers (Aldridge & Neeleman 2015).

- The higher position hosts an atomic quantifier.
- The lower position hosts a sub-atomic quantifier.

(71) \*The flags are partly all red.



(72) The flags are  $\underbrace{\Delta/\text{all}}_{\text{for each atomic flag } x}$   $\underbrace{\text{partly}}_{\text{for some sub-atomic part of the atomic flag } x}$  red.

- With a singular count associate, only the lower position is available.

(73) \*The door is all partly wooden.

- A mass associate (sometimes) allows for both.

(74) The furniture in this room is all partly wooden.

## 5.5 Variation among DP-external quantifiers

- We've been using *partly* in our examples, because it can only function as a sub-atomic quantifier.

- (75) a. The flags are all partly red.  
b. \*The flags are partly entirely red.

- Other DP-external quantifiers can appear in either position.

- (76) a. The flags are all mostly red.  
b. The flags are mostly entirely red.

- (77) a. The flags are all half red.  
b. The flags are half entirely red.

Consequently, the following is ambiguous.

- (78) The flags are mostly red.  
a. The flags are  $\Delta$  mostly red.  
 $\approx$  Each flag is mostly red.  
b. The flags are mostly  $\Delta$  red.  
 $\approx$  Most of the flags are entirely red.

	Atomic	Sub-atomic
<i>partly</i>	*	OK
<i>all</i>	OK	OK
<i>mostly</i>	OK	OK
<i>half</i>	OK	OK
<i>20%</i>	OK	OK
<i>each</i>	OK	*
$\Delta$	OK	OK

- The atomic and sub-atomic versions of the same quantifier need to be given different denotations.

- (79) a.  $\llbracket \mathbf{all}_{\text{atomic}} \rrbracket = \lambda P_{(e,t)}. \lambda x_e. \text{ for each } y \leq_i x \text{ such that } y \in A, P(y) = 1.$   
b.  $\llbracket \mathbf{all}_{\text{sub-atomic}} \rrbracket = \lambda P_{(e,t)}. \lambda x_e. \text{ for each } y \leq_p x, P(y) = 1$

- (80) a.  $\llbracket \Delta_{\text{atomic}} \rrbracket = \lambda P_{(e,t)}. \lambda x_e. \begin{cases} 1 & \text{for each } y \leq_i x \text{ such that } y \in A, P(y) = 1 \\ 0 & \text{for each } y \leq_i x \text{ such that } y \in A, P(y) = 0 \\ \# & \text{otherwise} \end{cases}$   
b.  $\llbracket \Delta_{\text{sub-atomic}} \rrbracket = \lambda P_{(e,t)}. \lambda x_e. \begin{cases} 1 & \text{for each } y \leq_p x, P(y) = 1 \\ 0 & \text{for each } y \leq_p x, P(y) = 0 \\ \# & \text{otherwise} \end{cases}$

## 5.6 Restating the puzzle

- With singular and mass associates, direct sub-atomic quantification.

- (81) a. The door is partly wooden.  
b. The furniture is partly wooden.

- With plural associates, sub-atomic quantification can only happen after atomic quantification.

- (82) a. The flags are  $\Delta$  partly red.  
b. The tables are all partly wooden.

**Puzzle:** Why isn't a plural associate compatible with direct sub-atomic quantification?

(83) \*The flags are \*( $\Delta$ ) partly red.

- Recall that other ways of referring to complex entities allow for direct sub-atomic quantification.

(84) a. The furniture in this room is partly wooden.  
 b. The table, chairs and shelves in this room are partly wooden.

(85) a. The Google logo is partly red.  
 b. These six letters are partly red.

(86) a. This deck of playing cards is partly wet.  
 b. These playing cards are partly wet.

- It's also not the case that plural subjects syntactically require the position for an atomic quantifier to be filled: they are compatible with integrative predicates, which lack it.

(87) a. The problems are diverse.  
 b. The members are John, Paul, George, and Ringo.

..... The rest of this section will be skipped .....

## 5.7 Other readings of DP-external quantifiers

### 5.7.1 Quality readings

Some of these quantifiers give rise to 'quality readings' (Aldridge & Neeleman 2015).

(88) The door is half transparent.  
 a. Half the door is transparent. Sub-atomic reading  
 b. The transparency of the (entire) door is 50%. Quality reading

The quality reading is accounted for with a third position, which is lower than the other two.

(89) The doors are  $\underbrace{\text{all}}_{\text{each door } x}$   $\overbrace{\text{partly}}^{\text{for some part of the door } x}$   $\underbrace{\text{entirely}}_{\text{quality}}$  transparent.

The ambiguity of (88) is analysed as structural ambiguity:

(90) a. The door is half  $\Delta$  transparent  
 b. The door is  $\Delta$  half transparent.

### 5.7.2 Group nouns

Group nouns allow for quantification over atomic members:

(91) The teams are  $\underbrace{\text{all}}_{\text{each team } x}$   $\overbrace{\text{mostly}}^{\text{for most atomic members } y \text{ of the team } x}$   $\underbrace{\text{half}}_{\text{sub-atomic/quality?}}$  Japanese.

### 5.7.3 Occasion readings

(92) I mostly danced.

Ultimately, we want to give a uniform(-ish) analysis for all readings.

## 6 An Intensional Theory of Relative Atomicity

WARNING: This and the next section are formally sloppy in certain compositional respects. See the Appendix for the full details of semantic composition.

### 6.1 The model

- One domain and one partial order  $\leq$ , reflecting the intuitive notion of part-whole ( $\approx \leq_p$  in the above theory of **Absolute Atomicity**).
  - Link 1983 postulated two domains and two partial orders.
  - Subsequent theories of **Absolute Atomicity** postulated one domain and two partial orders,  $\leq_i$  and  $\leq_p$ .
  - I will argue that  $\leq_i$  is theoretically superfluous (and conceptually unnatural). So one domain and one partial order.
- $(D, \leq)$  is a join semilattice. For any two entities  $x, y$  we can always talk about their join  $x \sqcup y$ .
- Most, perhaps all, entities in  $D$  are non-atomic, as they all have parts.
  - Physical objects are perceived as having parts (possibly except for elementary particles, but it's unclear how we mentally represent them).
  - Non-physical objects may also have parts (e.g., time, ideas, theories, reasons, advice, or even holes?).


In the following discussion, I will assume that the model has no absolute atoms.

### 6.2 Number morphology and noun extensions

- Things describable by singular count nouns are not absolute atoms.

$$(93) \quad \llbracket \mathbf{cat} \rrbracket = \{ x \in D \mid x \text{ is a cat} \}$$


Each  $x \in \llbracket \mathbf{cat} \rrbracket$  is a single cat but has parts, its tail, face, paws, etc., so not atomic.



Sub-atomic quantifiers will quantify over these parts.

- The extension of a plural count noun contains any combination of the members of  $\llbracket \mathbf{cat} \rrbracket$ .

$$(94) \quad \llbracket \mathbf{cats} \rrbracket = \{ \sqcup S \mid S \subseteq \llbracket \mathbf{cat} \rrbracket \text{ and } S \neq \emptyset \}$$



- The members of the extension of *cats* still have parts, so no absolute atoms.
- Note that we are not accounting for the puzzle yet, but the solution won't come from the extensions.
- We'll introduce **relative atoms** in the *intension* and solve the puzzle.
- Note that the sets that these nouns denote have the same structure as usual. But as is well known this is not enough to distinguish plural nouns and object mass nouns. So we may have (depending on the model):

- (95) a.  $\llbracket \text{the table, chairs, and shelf in this room} \rrbracket = \llbracket \text{the furniture in this room} \rrbracket$   
 b.  $\llbracket \text{the table in this room} \rrbracket = \llbracket \text{the furniture in this room} \rrbracket$

Some mass nouns denote infinite sets, e.g., *time* and *space*.

### 6.3 Intensionality

- An expression is assigned an extension relative to a model and a number of intensional parameters (assignment function, possible world, time, situation, context, etc.).

$$\llbracket \alpha \rrbracket_{\mathcal{M}}^{g,w,t,s,c}$$

- The model parameter  $\mathcal{M}$  is usually omitted. But keep in mind that you can always access  $(D, \leq)$ , as it is part of the model.
- I'm not interested in these usual intensional parameters today, so I will suppress them. (Assignments are an exception but I will only be explicit about them in the Appendix).


**Proposal:** A new intensional parameter that indicates entities under discussion.

- The new parameter is a restriction  $(S, \leq|_S)$  of  $(D, \leq)$ .
  - $S \subseteq D$ ; and
  - $\leq|_S := \{(x, y) \mid x \leq y \text{ and } x, y \in S\}$ .
- Instead of  $(S, \leq|_S)$ , let's write  $S^{\leq}$ .
- $S^{\leq}$  encodes **relative atomicity** when it has minimal elements = **relative atoms**.
- A singular count noun introduces a restriction using its extension. The interpretations of nouns themselves are insensitive to the intensional parameter, so for any  $S^{\leq}$ :

$$(96) \quad \llbracket \text{cat} \rrbracket^{S^{\leq}} = \{x \in D \mid x \text{ is a cat}\}$$

- Remember that the members of this set have parts (with respect to  $\leq$ ).
- The new restriction it introduces includes these cats and their parts.

$$(97) \quad \begin{array}{l} \text{a. } \downarrow \{x \in D \mid x \text{ is a cat}\}^{\leq} = \downarrow \text{CAT}^{\leq}. \\ \text{b. } \downarrow S = \{x \in D \mid x \leq y \text{ for some } y \in S\} \end{array}$$




- A plural count noun introduces **relative atoms**.

$$(98) \quad \text{For any } S^{\leq}, \\ \llbracket \text{cats} \rrbracket^{S^{\leq}} = \{ \sqcup C \mid C \subseteq \llbracket \text{cat} \rrbracket^{S^{\leq}} \text{ and } C \neq \emptyset \}$$

- The members of this set also have parts with respect to  $\leq$ .
- But with respect to the restriction it introduces, we don't see their parts.<sup>3</sup>

$$(99) \quad \begin{array}{l} \text{a. } \uparrow \text{CAT}^{\leq} \\ \text{b. } \uparrow S = \{x \in D \mid y \leq x \text{ for some } y \in S\} \end{array}$$

- When  $S^{\leq}$  has minimal elements, I write  $\min(S^{\leq}) \neq \emptyset$ .



- Mass nouns can have extensions similar to count nouns, but they do *not* introduce new intensional parameters and use the full model  $(D, \leq)$ .

The mass/count distinction is partly intensional.

- Notes on morphological markedness: It is sometimes remarked that the weak, inclusive extension for plural nouns is conceptually problematic, given their morphological markedness relative to their singular counterparts (Farkas & de Swart 2010, Bale, Gagnon & Khanjian 2011). In the current theory, plural nouns are introduced **relative atoms** but singular nouns don't, so the former's morphological markedness could be attributed to that.

<sup>3</sup> $\uparrow \text{CAT}^{\leq}$  includes entities that are made up of a cat and something else, e.g., a dog. We could alternatively restrict the set to just cats, but since we are only interested in the relative atoms here, this difference is immaterial.

## 6.4 Atomic DP-external quantifiers

- Recall that our model has no **absolute atoms**.
- Atomic DP-external quantifiers quantify over **relative atoms** encoded in the intensional parameter, if any.

(100) The cats each meowed twice.

- (101) a.  $\ulcorner \mathbf{each} \urcorner \in \text{dom}(\llbracket \cdot \rrbracket^{S^{\leq}})$  iff  $\min(S^{\leq}) \neq \emptyset$ .  
 b. Whenever  $\ulcorner \mathbf{each} \urcorner \in \text{dom}(\llbracket \cdot \rrbracket^{S^{\leq}})$ ,  
 $\llbracket \mathbf{each} \rrbracket^{S^{\leq}} = \lambda P_{(e,t)}. \lambda x_e : x \in S. \text{ each } y \leq x \text{ such that } y \in \min(S^{\leq}), P(y) = 1$ .

- Whenever *each* is used, there needs to be a plural noun that introduces a restricted domain with **relative atoms**.
  - A DP inherits the intensional parameter that its head noun introduces (We'll discuss how this happens shortly).

(102)  $\llbracket \mathbf{the\ cats} \rrbracket^{\uparrow \text{CAT}^{\leq}}$

- The DP transfers the intensional parameter to the VP.

(103)  $\llbracket \mathbf{the\ cats\ VP} \rrbracket^{S^{\leq}} = 1$  iff  $\llbracket \mathbf{VP} \rrbracket^{\uparrow \text{CAT}^{\leq}} (\llbracket \mathbf{the\ cats} \rrbracket^{\uparrow \text{CAT}^{\leq}}) = 1$

(This is done via Intensional Functional Application, and to do it, we Montague-lift entities; see the Appendix for details)

- If the VP contains *each*, it will quantify over the relative atoms, each of which is a cat in this case.

(104) The cats each meowed twice.

- If there is no plural DP in the right position, then presupposition failure ensues.

- (105) a. The desks, chairs, and cabinets in this office were each disinfected twice.  
 b. \*The furniture in this office was each disinfected twice.

- Other atomic quantifiers have the same presupposition.<sup>4</sup>

- (106) a.  $\ulcorner \mathbf{all}_{\text{atomic}} \urcorner \in \text{dom}(\llbracket \cdot \rrbracket^{S^{\leq}})$  iff  $\min(S^{\leq}) \neq \emptyset$ .  
 b. Whenever  $\ulcorner \mathbf{all}_{\text{atomic}} \urcorner \in \text{dom}(\llbracket \cdot \rrbracket^{S^{\leq}})$ ,  
 $\llbracket \mathbf{all}_{\text{atomic}} \rrbracket^{S^{\leq}} = \lambda P_{(e,t)}. \lambda x_e. \text{ each } y \leq x \text{ such that } y \in \min(S^{\leq}), P(y) = 1$ .

- (107) a.  $\ulcorner \Delta_{\text{atomic}} \urcorner \in \text{dom}(\llbracket \cdot \rrbracket^{S^{\leq}})$  iff  $\min(S^{\leq}) \neq \emptyset$ .  
 b. Whenever  $\ulcorner \Delta_{\text{atomic}} \urcorner \in \text{dom}(\llbracket \cdot \rrbracket^{S^{\leq}})$ ,  
 $\llbracket \Delta_{\text{atomic}} \rrbracket^{S^{\leq}} = \lambda P_{(e,t)}. \lambda x_e. \begin{cases} 1 & \text{each } y \leq x \text{ such that } y \in \min(S^{\leq}), P(y) = 1 \\ 0 & \text{each } y \leq x \text{ such that } y \in \min(S^{\leq}), P(y) = 0 \\ \# & \text{otherwise} \end{cases}$

<sup>4</sup>I will not try to account for possible differences between *all<sub>atomic</sub>* and *each*, so I will tentatively give it the same meaning as *each*. In reality, *each* wants to have something to distribute over in its semantic scope.

- Not only this, these atomic quantifiers reset the intensional parameter to the entire model  $(D, \leq)$ . Schematically:

$$(108) \quad \begin{aligned} \llbracket \text{the cats each meowed twice} \rrbracket^{S^{\leq}} &= 1 \\ \text{iff } \llbracket \text{each meowed twice} \rrbracket^{\uparrow \text{CAT}^{\leq}} (\llbracket \text{the cats} \rrbracket^{\uparrow \text{CAT}^{\leq}}) &= 1 \\ \text{iff } \llbracket \text{each} \rrbracket^{\uparrow \text{CAT}^{\leq}} (\llbracket \text{meowed twice} \rrbracket^{(D, \leq)}) (\llbracket \text{the cats} \rrbracket^{\uparrow \text{CAT}^{\leq}}) &= 1 \end{aligned}$$

To ensure this, we need to turn the quantifiers into intensional operators. See the Appendix for details.

## 6.5 Sub-atomic DP-external quantifiers

- Sub-atomic DP-external quantifiers are incompatible with parameters with relative atoms. We again encode this as a presupposition.

$$(109) \quad \begin{aligned} \text{a. } \ulcorner \text{partly} \urcorner \in \text{dom}(\llbracket \cdot \rrbracket^{S^{\leq}}) &\text{ iff } \min(S^{\leq}) = \emptyset. \\ \text{b. } \text{Whenever } \ulcorner \text{partly} \urcorner \in \text{dom}(\llbracket \cdot \rrbracket^{S^{\leq}}), & \\ \llbracket \text{partly} \rrbracket^{S^{\leq}} = \lambda P_{(e,t)}. \lambda x_e: x \in S. \text{ for some } y \leq x, P(y) = 1. & \end{aligned}$$

- This presupposition accounts for why direct sub-atomic quantification is impossible with plural associates.

(110) The flags are partly red.

- *The flags* introduces a restriction with **relative atoms**,  $\uparrow \text{FLAG}^{\leq}$ .
- Consequently *partly* cannot be the next operator down.
- If  $\Delta_{\text{atomic}}$  intervenes, it resets the parameter to  $(D, \leq)$ , which has no relative atoms, so the presupposition of *partly* will be satisfied.<sup>5</sup>

$$(111) \quad \begin{aligned} \llbracket \text{the flags were } \Delta_{\text{atomic}} \text{ partly red} \rrbracket^{S^{\leq}} &= 1 \\ \text{iff } \llbracket \Delta_{\text{atomic}} \text{ partly red} \rrbracket^{\uparrow \text{FLAG}^{\leq}} (\llbracket \text{the flags} \rrbracket^{\uparrow \text{FLAG}^{\leq}}) &= 1 \\ \text{iff } \llbracket \Delta_{\text{atomic}} \rrbracket^{\uparrow \text{FLAG}^{\leq}} (\llbracket \text{partly red} \rrbracket^{(D, \leq)}) (\llbracket \text{the flags} \rrbracket^{\uparrow \text{FLAG}^{\leq}}) &= 1 \end{aligned}$$

The ban on direct sub-atomic quantification comes from the requirement of sub-atomic quantifiers that entities with parts (non-atoms) are being talked about.


## 7 DP-internal matters

### 7.1 Scope


- We said above that a DP inherits the intensional parameter from its head noun.

<sup>5</sup>Here we are crucially assuming that the model has no absolute atoms. What if it does have some? Then we could reanalyse the presupposition to be one where  $S^{\leq}$  is not an atomic semilattice, i.e., at least one thing in  $S$  is not based on relative atoms (and also require a model to always have something that is not made up of atoms, e.g., space, time, etc.).

- Technically, we achieve this by having the noun scope at the edge of the DP. We could use any theory of scope, but let us use movement theory.



- The extension of the noun (a set of entities) will reconstruct to the original position.
  - *The P* will be affected by the intension of the noun, i.e., it will be interpreted with respect to the intensional parameter that the noun introduces.
- Furthermore, the noun's intensional parameter will be further inherited by the next level (ensured by Intensional Functional Application; see the Appendix). So there will be two domains affected by the noun's intensional parameter.



See [Charlow 2014, 2020](#) for more general discussion of scope extension from the edge.


- The intensional scope of the noun is its syntactic agreement domain. This is potentially syntactically relevant.

## 7.2 Counting modifiers and quantifiers

- Recall that **Absolute Atomicity** makes use of **absolute atoms** in the analyses of:
  - Number morphology and mass/count
  - Distributivity
  - Counting modifiers and quantifiers

We've taken care of 1. and 2. in our theory of **Relative Atomicity**.

- Counting modifiers and quantifiers can be accounted for with **relative atoms** in a way similar to DP-external atomic quantifiers. Importantly, they will be in the immediate scope of the noun.



(112) a.  $\text{‘three’} \in \text{dom}(\llbracket \cdot \rrbracket^{S^{\leq}})$  iff  $\text{min}(S^{\leq}) \neq \emptyset$

- b. Whenever  $\ulcorner \text{three} \urcorner \in \text{dom}([\![\cdot]\!]^{S^{\leq}})$ ,  
 $[\![\text{three}]\!]^{S^{\leq}} = \lambda P_{(e,t)}. \lambda Q_{(e,t)}. \text{there are three distinct } x, y, z \in \text{min}(S^{\leq}) \text{ such that } P(x \sqcup y \sqcup z) = Q(x \sqcup y \sqcup z) = 1.$
- Those that select for singular nouns require  $S^{\leq}$  to be distinct from  $(D, \leq)$  (so that the attention is sufficiently restricted) and to have no atoms. This excludes mass nouns and plural nouns. Note that quantification is over the maxima of  $S^{\leq}$ .
- (113) a.  $\ulcorner \text{each} \urcorner \in \text{dom}([\![\cdot]\!]^{S^{\leq}})$  iff  $S^{\leq} \neq (D, \leq)$  and  $\text{min}(S^{\leq}) \neq \emptyset$   
 b. Whenever  $\ulcorner \text{each} \urcorner \in \text{dom}([\![\cdot]\!]^{S^{\leq}})$ ,  
 $[\![\text{each}]\!]^{S^{\leq}} = \lambda P_{(e,t)}. \lambda Q_{(e,t)}. \text{for each } x \in \text{max}(S^{\leq}), P(x) = Q(x) = 1.$
- (114) a.  $\ulcorner \text{one} \urcorner \in \text{dom}([\![\cdot]\!]^{S^{\leq}})$  iff  $S^{\leq} \neq (D, \leq)$  and  $\text{min}(S^{\leq}) \neq \emptyset$   
 b. Whenever  $\ulcorner \text{each} \urcorner \in \text{dom}([\![\cdot]\!]^{S^{\leq}})$ ,  
 $[\![\text{one}]\!]^{S^{\leq}} = \lambda P_{(e,t)}. \lambda Q_{(e,t)}. \text{for one } x \in \text{max}(S^{\leq}), P(x) = Q(x) = 1.$

There is no need for **absolute atoms**.

## 8 Summary

---

- The puzzle of DP-external sub-atomic quantification. Direct sub-atomic quantification is not possible with a plural subject.
- (115) a. \*The flags are partly red.  
 b. The flags are  $\Delta_{\text{atomic}}$  partly red.
- (116) The furniture is partly wooden.
- I argued that we need **relative atoms** to account for this, and put forward an ‘intensional’ theory of **Relative Atomicity**.

Different intensional effects for different types of nouns:

- Plural count nouns introduce **relative atoms**.
- Singular count nouns restrict the domain.
- Mass nouns don’t do anything.

$\Rightarrow$  Part of mass/count is intensional.

- Relative Atomicity** accounts for:
  - Number morphology and mass/count
  - Distributivity
  - Counting modifiers and quantifiers

No need for **absolute atoms**. We should give up on **Absolute Atomicity**.

- Further topics:
  - Connectives
    - (117) a. the students and professors  
b. the students or professors
  - Non-atomic distributivity and context sensitivity (Schwarzschild 1996).
    - (118) The cows and pigs are separated.
  - Cross-sentential cases
    - (119) There are some sheep in the farm. They are all sleeping now.
  - Sub-atomic modifiers, e.g. *half* and *double* (Wągiel 2018, 2019).
    - (120) a. a half baguette  
b. a double espresso
  - Group nouns and their intensionality
    - (121) a. the playing cards  
b. the deck of cards
    - (122) The committee are old.
      - Common nouns as group nouns?
      - Shift between groups and their members (cf. Landman 1989a,b, 2000)
  - Classifier languages
  - Intensional sensitivity of predicates (summative/distributive vs. integrative/collective)

## Appendix: Compositional details

---

- We will use movement theory of scope so we will be explicit about assignment.
- We write  $\llbracket \alpha \rrbracket^{g, S^{\leq}}$  for the extension of  $\alpha$ , relative to  $g$  and  $S^{\leq}$ , i.e.,  $\llbracket \alpha \rrbracket(g)(S^{\leq})$ .
- We will be explicit about presupposition projection, which is ensured by the compositional rules and lexical entries.

### Model and restrictions

- A model comes with a domain  $D$  of entities and a partial order  $\leq$  on  $D$  such that  $(D, \leq)$  is a join semilattice.
- The corresponding join operation is  $\sqcup$ .

- A restriction  $(S, \leq\upharpoonright_S)$  of  $(D, \leq)$ :
  - $S \subseteq D$ ; and
  - $\leq\upharpoonright_S := \{(x, y) \mid x \leq y \text{ and } x, y \in S\}$ .
- Instead of  $(S, \leq\upharpoonright_S)$ , we'll write  $S^{\leq}$

## Compositional rules

### (123) **Intensional Functional Application**

For any  $g$  and  $S^{\leq}$ ,

if  $\alpha$  dominates two constituents  $\beta$  and  $\gamma$  such that

a.  $\ulcorner \beta \urcorner \in \text{dom}(\llbracket \cdot \rrbracket^{g, S^{\leq}})$ ; and

b.  $[\lambda o: \ulcorner \gamma \urcorner \in \text{dom}(\llbracket \cdot \rrbracket^{g, o}). \llbracket \gamma \rrbracket^o] \in \text{dom}(\llbracket \beta \rrbracket^{g, S^{\leq}})$ ,

then  $\ulcorner \alpha \urcorner \in \text{dom}(\llbracket \cdot \rrbracket^{g, S^{\leq}})$  and  $\llbracket \alpha \rrbracket^{g, S^{\leq}} = \llbracket \beta \rrbracket^{g, S^{\leq}}([\lambda o: \ulcorner \gamma \urcorner \in \text{dom}(\llbracket \cdot \rrbracket^{g, o}). \llbracket \gamma \rrbracket^o])$

### (124) **Predicate Abstraction**

For any  $g$  and  $S^{\leq}$ ,

if  $\alpha$  dominates two constituents  $\lambda \xi_\tau$  for some type  $\tau$  and  $\beta$ , then  $\ulcorner \alpha \urcorner \in \text{dom}(\llbracket \cdot \rrbracket^{g, S^{\leq}})$

and  $\llbracket \alpha \rrbracket^{g, S^{\leq}} = \lambda x_\tau: \ulcorner \beta \urcorner \in \text{dom}(\llbracket \cdot \rrbracket^{g[\xi \mapsto x], o}). \llbracket \beta \rrbracket^{g[\xi \mapsto x], o}$


### (125) **Variable Rule**

For any  $g$  and  $S^{\leq}$ , if  $\alpha$  is a variable, then  $\ulcorner \alpha \urcorner \in \text{dom}(\llbracket \cdot \rrbracket^{g, S^{\leq}})$  and  $\llbracket \alpha \rrbracket^{g, S^{\leq}} = g(\alpha)$ .

We won't need Extensional Functional Application, because we'll take care of that in the lexical entries of extensional operators (they will simply pass on their intensional parameters to their arguments).

## Noun intensions

Recall that nouns take scope at the edge of their local DP.



Nouns are intensional operators, taking the intension of their sister constituent, and changing its intensional parameter. For any set  $A$ , we write  $\chi^A$  to denote the characteristic function of  $A$ .

For any  $g$  and  $S^{\leq}$ ,

$$(126) \quad \llbracket \mathbf{cat} \rrbracket^{g, S^{\leq}} = \lambda f_{(s, ((e, t), ((e, t), t))): \downarrow \mathbf{CAT}^{\leq} \in \text{dom}(f) \wedge \chi^{\mathbf{CAT}} \in \text{dom}(f(\downarrow \mathbf{CAT})). f(\mathbf{CAT}^{\leq})(\chi^{\mathbf{CAT}})$$

$$(127) \quad \llbracket \mathbf{cats} \rrbracket^{g, S^{\leq}} = \lambda f_{(s, ((e, t), ((e, t), t))): \uparrow \mathbf{CAT}^{\leq} \in \text{dom}(f) \wedge \chi^{\mathbf{CATS}} \in \text{dom}(f(\uparrow \mathbf{CAT}^{\leq})). f(\uparrow \mathbf{CAT}^{\leq})(\chi^{\mathbf{CATS}})$$

$$(128) \quad \llbracket \mathbf{mud} \rrbracket^{g, S^{\leq}} = \lambda f_{(s, ((e, t), ((e, t), t))): (D, \leq) \in \text{dom}(f) \wedge \chi^{\text{MUD}} \in \text{dom}(f((D, \leq)))}. f((D, \leq))(\chi^{\text{MUD}})$$

$$(129) \quad \begin{array}{l} \text{a. } \text{CAT} = \{ x \in D \mid x \text{ is a cat} \} \\ \text{b. } \text{CATS} = \{ \bigsqcup C \mid C \subseteq \text{CAT and } C \neq \emptyset \} \\ \text{c. } \text{MUD} = \{ x \in D \mid x \text{ is mud} \} \end{array}$$

$$(130) \quad \begin{array}{l} \text{a. } \downarrow S = \{ x \in D \mid \exists y \in S[x \leq y] \} \\ \text{b. } \uparrow S = \{ x \in D \mid \exists y \in S[y \leq x] \} \end{array}$$

## Quantificational determiners and scope extension

We analyse *the* as a quantifier. It's an extensional operator, as it passes its intensional parameter to its arguments.

$$(131) \quad \begin{array}{l} \text{For any } g \text{ and } S^{\leq}, \\ \llbracket \mathbf{the} \rrbracket^{g, S^{\leq}} = \lambda P_{(s, (e, t))}: S^{\leq} \in P \wedge |\max_{\leq}(\text{set}(P(S^{\leq})))| = 1. \\ \lambda Q_{(s, (e, t))}: S^{\leq} \in \text{dom}(Q) \wedge \bigsqcup \text{set}(P(S^{\leq})) \in \text{dom}(Q(S^{\leq})). \\ Q(S^{\leq})(\bigsqcup \text{set}(P(S^{\leq}))) = 1 \end{array}$$

$$(132) \quad \text{set}(f) := \{ x \in D_{\tau} \mid x \in \text{dom}(f) \text{ and } f(x) = 1 \} \text{ for any } f \in D_{(\tau, t)}.$$

## DP-external atomic quantifiers

$$(133) \quad \begin{array}{l} \text{For any } g \text{ and } S^{\leq}, \\ \text{a. } \text{「each」} \in \text{dom}(\llbracket \cdot \rrbracket^{g, S^{\leq}}) \text{ iff } \min S^{\leq} \neq \emptyset. \\ \text{b. } \text{Whenever 「each」} \in \text{dom}(\llbracket \cdot \rrbracket^{g, S^{\leq}}), \\ \llbracket \mathbf{each} \rrbracket^{g, S^{\leq}} = \lambda P_{(s, (e, t))}: (D, \leq) \in \text{dom}(P). \\ \lambda x_e: \forall y \leq x[x \in \min S^{\leq} \rightarrow y \in \text{dom}(P((D, \leq)))] \\ \forall y \leq x[x \in \min S^{\leq} \rightarrow P((D, \leq))(y) = 1] \end{array}$$

## DP-external sub-atomic quantifiers

$$(134) \quad \begin{array}{l} \text{For any } g \text{ and } S^{\leq}, \\ \text{a. } \text{「partly」} \in \text{dom}(\llbracket \cdot \rrbracket^{g, S^{\leq}}) \text{ iff } \min S^{\leq} = \emptyset. \\ \text{b. } \text{Whenever 「partly」} \in \text{dom}(\llbracket \cdot \rrbracket^{g, S^{\leq}}), \\ \llbracket \mathbf{partly} \rrbracket^{g, S^{\leq}} = \lambda P_{(s, (e, t))}: (D, \leq) \in \text{dom}(P). \\ \lambda x_e: x \in S \wedge \exists y \leq x[y \in \text{dom}(P((D, \leq)))] \\ \exists y \leq x[P((D, \leq))(y) = 1] \end{array}$$

## References

Aldridge, Laura & Ad Neeleman. 2015. Quality and quantity readings of degree expressions. Ms., UCL, <https://ling.auf.net/lingbuzz/002741>.

- Bale, Alan, Michaël Gagnon & Hrayr Khanjian. 2011. On the relationship between morphological and semantic markedness. *Morphology* 21(2). 197–221. <https://doi.org/10.1007/s11525-010-9158-1>.
- Bar-Lev, Moshe E. 2021. An implicature account of homogeneity and non-maximality. *Linguistics and Philosophy* 44. 1045–1097. <https://doi.org/10.1007/s10988-020-09308-5>.
- Charlow, Simon. 2014. *On the semantics of exceptional scope*. New York University dissertation.
- Charlow, Simon. 2020. The scope of alternatives: indefiniteness and islands. *Linguistics and Philosophy* 43. 427–472. <https://doi.org/10.1007/s10988-019-09278-3>.
- Chierchia, Gennaro. 1998a. Plurality of mass nouns and the notion of ‘semantic parameter’. In Susan Rothstein (ed.), *Events and grammar*, 53–103. Dordrecht: Kluwer.
- Chierchia, Gennaro. 1998b. Reference to kinds across languages. *Natural Language Semantics* 6(4). 339–405. <https://doi.org/10.1023/A:1008324218506>.
- Chierchia, Gennaro. 2010. Mass nouns, vagueness and semantic variation. *Synthese* 174(1). 99–149. <https://doi.org/10.1007/s11229-009-9686-6>.
- Erbach, Kurt, Stavroula Alexandropoulou, Richard Breheny, Clemens Mayr, Jacopo Romoli & Yasutada Sudo. 2024. Putting summative predicates into context. In Fausto Carracci, Tamar Johnson, Søren Brinck Knudstorp, Sabina Dominguez Parrado, Pablo Rivas-Robledo & Giorgio Sbardolini (eds.), *Proceedings of the 24th Amsterdam Colloquium*, 118–124.
- Farkas, Donka F. & Henriëtte E. de Swart. 2010. The semantics and pragmatics of plurals. *Semantics & Pragmatics* 3(6). 1–54. <https://doi.org/10.3765/sp.3.6>.
- Krifka, Manfred. 1990. Boolean and non-Boolean ‘and’. In László Kálmán & László Pólos (eds.), *Papers from the 2nd symposium on logic and language*, 161–188. Budapest: Akadémiai Kiadó.
- Križ, Manuel. 2015. *Aspects of homogeneity in the semantics of natural language*. Universität Wien dissertation.
- Križ, Manuel & Benjamin Spector. 2021. Interpreting plural predication: homogeneity and non-maximality. *Linguistics and Philosophy* 44. 1131–1178. <https://doi.org/10.1007/s10988-020-09311-w>.
- Landman, Fred. 1989a. Groups, I. *Linguistics and Philosophy* 12(5). 559–605.
- Landman, Fred. 1989b. Groups, II. *Linguistics and Philosophy* 12(6). 723–744.
- Landman, Fred. 2000. *Events and plurality*. Dordrecht: Kluwer.
- Landman, Fred. 2011. Count nouns - mass nouns, neat nouns - mess nouns. *Baltic International Yearbook of Cognition, Logic and Communication* 6. 1–67. <https://doi.org/10.4148/biyclc.v6i0.1579>.
- Landman, Fred. 2016. Iceberg semantics for count nouns and mass nouns: classifiers, measures and portions. In Susan Rothstein & Jurgis Škilters (eds.), *The Baltic international yearbook of cognition, logic and communication*, vol. 11, 1–48. New Prairie Press. <https://doi.org/10.4148/1944-3676.1107>.
- Link, Godehard. 1983. The logical analysis of plurals and mass terms: A lattice theoretical approach. In Rainer Bäuerle, Christoph Schwarze & Arnim von Stechow (eds.), *Meaning, use, and the interpretation of language*, 302–323. Berlin: Mouton de Gruyter.
- Paillé, Mathieu. 2022. *Strengthening predicates*. McGill University dissertation.
- Rothstein, Susan. 2010. Counting and the mass-count distinction. *Journal of Semantics* 27(3). 343–397. <https://doi.org/10.1093/jos/ffq007>.
- Rothstein, Susan. 2017. *Semantics for counting and measuring*. Cambridge: Cambridge University Press. <https://doi.org/10.1017/9780511734830>.

- Sauerland, Uli. 2003. A new semantics for number. In Robert B. Young & Yuping Zhou (eds.), *Proceedings of SALT 13*, 258–275. Ithaca, NY: Cornell Linguistics Club.
- Sauerland, Uli, Jan Anderssen & Kazuko Yatsushiro. 2005. The plural is semantically unmarked. In Stephan Kepser & Marga Reise (eds.), *Linguistic evidence*, 409–430. Berlin: Mouton de Gruyter.
- Schwarzschild, Roger. 1996. *Pluralities*. Dordrecht: Kluwer.
- Spector, Benjamin. 2007. Aspects of the pragmatics of plural morphology: on higher-order implicatures. In Uli Sauerland & Penka Stateva (eds.), *Presuppositions and implicatures in compositional semantics*, 243–281. New York: Palgrave-Macmillan.
- Sudo, Yasutada. 2023. Scalar implicatures with discourse referents: A case study on plurality inferences. *Linguistics and Philosophy* 46. 1161–1217. <https://doi.org/10.1007/s10988-023-09381-6>.
- Sutton, Peter R. & Hana Filip. 2016. Counting in context: Count/mass variation and restrictions on coercion in collective artifact nouns. In *Proceedings of SALT 26*, 350–370.
- Sutton, Peter R. & Hana Filip. 2017. Individuation, reliability, and the mass/count distinction. *Journal of Language Modelling* 5(2). 303–356. <https://doi.org/10.15398/jlm.v5i2.144>.
- Wagiel, Marcin. 2018. *Subatomic quantification*. Masaryk University dissertation.
- Wagiel, Marcin. 2019. Partitives, multipliers and subatomic quantification. In M. Teresa Espinal (ed.), *Proceedings of Sinn und Bedeutung 23*.
- Winter, Yoad. 2001. *Flexibility principles in Boolean semantics: The interpretation of coordination, plurality, and scope in natural language*. Cambridge, MA: MIT Press.
- Zweig, Eytan. 2009. Number-neutral bare plurals and the multiplicity implicature. *Linguistics and Philosophy* 32(4). 353–407. <https://doi.org/10.1007/s10988-009-9064-3>.